Index for Volume 47 (1998)

COMPILED BY SARAH ALLEN SMITH

18S ribosomal DNA, 134–138
20S ribosomal DNA, 134–138

A posteriori weighting, 733–737
Abobra, 35
Acacia, 390
Accuracy, 43–60, 228–253, 397–413, 427–444, 625–640, 702–710
  phylogenetic, 568–581
Accuracy of methods for coding and sampling higher-level taxa for phylogenetic analysis, the: a simulation study, John J. Wiens, 397–413
Acer, 264–281
  ginnala, 265–266, 272, 275
  palmatum, 265–266, 271–276
  pensylvanicum, 265–266, 272, 274–275
  platanoides, 265–266, 271–272, 274–276
  pseudoplatanus, 265–266, 272, 274–275
  rubrum, 265–266, 272, 274–275, 279
  saccharinum, 265–266, 271–272, 274–276
  saccharum, 265–266, 272, 274–276, 279
  spicatum, 265–266, 272, 274–275, 279
Achenomorphus, 374, 379, 386, 391–396
  corticinus, 390
Acorus, 286–288, 293–296, 298–300
Acrodonta, 403, 408
Adams, Dean C., and Michael S. Rosenberg, Partial warps, phylogeny, and ontogeny: a comment on Fink and Zelditch (1995), 168–173
Adansonia, 181–182, 184–186, 188–190, 192–197, 201
  digitata, 181, 189–191, 193, 195–196, 198, 201
  gibbosa, 181, 184–185, 190–193, 195, 197, 201–207
  grandidieri, 181, 184, 188, 190–191, 193, 195, 198, 201–207
  madagascariensis, 184–185, 188, 190–191, 193–195, 197, 201–207
  perrieri, 190, 193–194, 201–207
  rubrostipa, 188, 190–191, 193–194, 197, 201–207
  suarezensis, 181, 184–185, 188–191, 193, 195, 198, 201–207
  za, 184, 188, 190–191, 193–194, 197, 201–207
Adansonieae, 181–182, 196–197
Adaptation, Michael R. Rose and George V. Lauder (eds.) (rev.), 538–541
Ademosynidae, 369
Advertisement calls, 311–335
Aedes, 137
Aepyprymnus, 457, 462, 465–468, 472–474
  rufescens, 460, 467
Agamidae, 403
Agyrtidae, 370
Ailanthus, 35
Akebia, 35
Aleocharinae, 370
Algorithm, 414–426
Alignment, 336–344, 495–496
Alismatanae, 294, 299
Allozymes, 208–227, 737–761
Alnus, 35, 38
Alsinidendron, 609
Alstroemeria, 287, 295
Alstroemeriaceae, 287
Amino acid sequence, 138–146
Amphibia, 679
Amphichroum, 373, 379–380, 386, 390–396
Amphiesmenoptera, 135, 137
Amphioxus, 61–76
Amphioxus mitochondrial DNA, chordate phylogeny, and the limits of inference based on comparisons of sequences, Gavin J. P. Naylor and Wesley M. Brown, 61–76
Amphiuma, 679, 681
Analysis
  combined, 568–581
  combined-data, 311–335
  consensus, 568–581
  Fourier, 264–281
  landmark, 264–281
  separate, 568–581
  spectral, 673–695
Ancestral
  area, 445–456
  states, 582–588
Ancient asexuals, 475–494
Ancient marine reptiles, Jack M. Callaway and Elizabeth L. Nicholls (eds.) (rev.), 541–543
Ancorina, 359–360
Ancorinidae, 358–360, 363
Andira, 610, 612
Androceras, 609
Anguidae, 403
Anguimorpha, 403, 408
Anigozanthos, 287, 295–296, 298
Annelida, 609, 621
Anopheles gambiae, 63
Anthus, 590–591, 594–595, 599–600
  brachyurus, 591
  caffer, 591
  chloris, 590
  hodgsoni, 600
Antilocapra americana, 92–93, 96, 98–99, 115, 122–124
Antliophora, 136–138
Applications of geometric morphometrics to studies of ontogeny and phylogeny, on: a reply to Rohlf, Miriam Leah Zelditch, William L. Fink, Donald L. Swiderski, and Barbara L. Lundrigan, 159–167

Applications of geometric morphometrics to studies of ontogeny and phylogeny, on, F. James Rohlf, 147–158
Apomorphy-based definitions, 719–726
Approximations, 77–89
Araceae, 287
Arales, 287, 295
Aramigus, 475–478, 480–482, 484–488, 490
biseriatus, 494
conirostris, 476–477, 479, 481, 485, 494
curtulus, 475–477, 479, 485, 494
globoculus, 475–477, 479, 485, 494
intermedius, 475–477, 479, 485, 494
pilosus, 476–477, 479, 494
planioculus, 475–479, 485, 494
tessellatus, 475–477, 479–481, 484–485, 487, 490
uruguayensis, 475–477, 479, 481, 484, 488, 494
Aranae, 287, 294–295, 299
Arbutus menziesii, 390
Archive, 495–496
Archiving molecular phylogenetic alignments as NEXUS files, Bernard L. Cohen, Jonathan A. Sheps, and Mark Wilkinson, 495–496
Area, ancestral, 445–456
Arecaceae, 287
Arecanae, 287, 295–296, 300
Aristolochia, 35, 38
Aristolochiaceae, 35, 38, 287
Arrangement, cladogram, 617–624
Artifacts, 147–158
Asarum, 35
Ascaris suum, 63
Asexuals, ancient, 475–494
Asparagales, 287, 295–296
Asteraceae, 610
Asteridae, 36–38
Asteroidea, 609
Asteropus, 359
Astrophorida, 351–366
atpA, 282–310
Attraction, long-branch, 9–17, 134–138, 519–537
Aucuba, 35
Austrobaileya, 36
Aves, 386, 590
Axinella, 364
damicornis, 355, 364–366
Axinellida, 352, 355, 359
Axiniidae, 609

Balaena mysticeti, 339
Balaenopteridae, 340–341
Balaenopterus, 340, 343
musculus, 63
physalus, 63, 122–124, 339
Baleen whales, 336–344
Ballard, J. William O., Margaret K. Thayer, Alfred F. Newton, Jr., and Elizabeth R. Grismer, Data sets, partitions, and characters: philosophies and procedures for analyzing multiple data sets, 367–396
Barnadesioideae, 610
Barrett, Spencer C. H., see Graham, Sean W., —
Basilosaurus cetoides, 91
Baum, David A., Individuality and the existence of species through time, 641–653
Baum, David A., Randall L. Small, and Jonathan F. Wendel, Biogeography and floral evolution of Baobabs (*Adansonia*, Bombacaceae) as inferred from multiple data sets, 181–207
Beetles, 367–396
Behavior, 311–335
Bellido, Alain, see Guiller, Annie, —
Berardius bairdii, 115, 122–124
Berberidaceae, 609
Best evolutionary rate for phylogenetic analysis, on the, Ziheng Yang, 125–133
Better to add taxa or characters to a difficult phylogenetic problem?, is it, Anna Graybeal, 9–17
Bettongia, 457, 460, 462–463, 465–468, 472–474
penicillata, 460
Bias, transition, 589–603
Bifurcating branching diagram, 617–624
Bininda-Emonds, Olaf R. P., and Harold N. Bryant, Properties of matrix representation with parsimony analyses, 497–508
Biogeography, 181–207, 445–456
Biogeography and floral evolution of Baobabs (*Adansonia*, Bombacaceae) as inferred from multiple data sets, David A. Baum, Randall L. Small, and Jonathan F. Wendel, 181–207
Bipedal hopping, 457–474
Birth–death process, 702–710
Blackstone, Neil W., and Steven A. Nadler, review by, 176–179
Bombacaceae, 181, 196
Bombacadidites, 196
Bombax, 182–184, 188, 192, 196–197, 201–207
buonopozense, 201
Bombycilla garrulus, 591
Bombycillidae, 591
Bootstrap, 727–733
Bos taurus, 63, 92–93, 99, 115, 122–124, 339
Bourreria, 35
Boury-Esnault, Nicole, see Chombard, Catherine, —
Branching diagram, bifurcating, 617–624
Branchiostoma, 67, 69–70
floridae, 61, 63
Branch lengths, 125–133, 654–672
Brassica, 35
Brevitubae, 181, 188, 190, 193–196, 198
Bromeliaceae, 287
Bromeliales, 287
Bromelianae, 287, 295–296, 300
Broughton, Richard E., Gavin J. P. Naylor, and Thomas E. Dowling, Conflicting phylogenetic patterns caused by molecular mechanisms in mitochondrial DNA sequences, 696–701
Brownian motion, 654–672
Brown, Wesley M., see Naylor, Gavin J. P., and —
Bryant, Harold N., see Bininda-Emonds, Olaf R. P., and —
Burk, Angela, Michael Westerman, and Mark Springer, The phylogenetic position of the musky rat-kangaroo and the evolution of bipedal hopping in kangaroos (Macropodidae: Diprotodontia), 457–474

Caecilia, 681, 685–686, 695
Caeciliidae, 685, 695
Caenorhabditis elegans, 63
Callaway, Jack M., and Elizabeth L. Nicholls (eds.), Ancient marine reptiles (rev.), 541–543
Callisaurus, 401, 429, 627
  draconoides, 760–761
  texanus, 760–761
Calls, advertisement, 311–335
  Caloprymnus, 466
Calthropellidae, 361
Camelus dromedarius, 92–93, 99, 122–124, 339
Campanula, 35
Campostoma anomalum, 758
Canellaceae, 610
Canna, 287–289, 295–296, 298
Cannaceae, 287
Cannatella, David, and Richard Olmstead, Editorial comment: new publisher, special issue of *Systematic Biology*, and introduction of editor-elect, 1–2
Cannatella, David C., David M. Hillis, Paul T. Chippindale, Lee Weigt, A. Stanley Rand, and Michael J. Ryan, Phylogeny of frogs of the *Physalaemus pustulosus* species group, with an examination of data incongruence, 311–335
Can weighting improve bushy trees? Models of cytochrome *b* evolution and the molecular systematics of pipits and wagtails (Aves: Motacillidae), Gary Voelker and Scott V. Edwards, 589–603
Capparis, 35
Caprifoliaceae, 609
Carabidae, 385
Carnivora, 656
Carya, 35, 38
Casuarina, 35, 38
Catharus fuscescens, 591
Catopsis, 287–288, 295, 298
Ceanothus, 35, 390
  fendleri, 390
Celtis, 38
Centrarchidae, 609
Cepaea
  hortensis, 225
  nemoralis, 63, 225
Cephalochordata, 63
Cephalorhynchus
  commersoni, 95, 117, 122–124
  eutropia, 95, 104, 117, 122–124, 339
  heavisidii, 95, 117, 122–124
  hectori, 95, 117, 122–124
Ceractinomorpha, 351
Cerchio, Salvatore, and Priscilla Tucker, Influence of alignment on the mtDNA phylogeny of Cetacea: questionable support for a Mysticeti/Physeteroidea clade, 336–344
Cetacea, 90–124, 336–344
Chamaeleonidae, 403
Character
  evolution, 582–588
  incongruence, 282–310
  weighting, 589–603
Characters
  continuous, 654–672
  polymorphic, 427–444
  qualitative taxonomic, 604–616
  quantitative, 508–519
Chase, Mark W., see Soltis, Douglas E., —
Chippindale, Paul T., see Cannatella, David, C., —
Chironomidae, 610
Chloranthus, 35
Chloroplast DNA, 545–567
Chombard, Catherine, Nicole Boury-Esnault, and Simon Tillier, Reassessment of homology of morphological characters in Tetractinellid sponges based on molecular data, 351–366
Chondrilla, 359
Chondrosida, 359
Chordata, 71
Chordate phylogeny, 61–76
Cicindela, 385
Cinachyrella, 352, 355, 357–358, 364–366
Cinclidae, 591–592
Cinclus mexicanus, 591–592
Citrus, 35
Cladistics, 159–167, 282–310, 345–348
Cladogram
  arrangement, 617–624
  topology, 617–624
Cliona viridis, 355, 364–366
Clock, molecular, 90–124, 181–207
Cocoloba, 35
Coding, 508–519
  methods, 397–413
Cohen, Bernard L., Jonathan A. Sheps, and Mark Wilkinson, Archiving molecular phylogenetic alignments as NEXUS files, 495–496
Coleoptera, 135–138, 369, 475, 527, 529
Combinability of phylogenies and bootstrap confidence envelopes, Allen G. Rodrigo, 727–733
Combination, conditional data, 367–396
Combined analysis, 568–581
Combined-data analysis, 311–335
Combining data sets with different phylogenetic histories, John J. Wiens, 568–581
Commelinales, 287, 295, 297, 300
Commelinanae, 287, 295–296, 300
Compatibility, 604–616, 673–695
Compatible evidence, 367–396
Components, principal, 254–263
Compositae, 609
Composite tree, 497–508
Computer simulation, 568–581, 702–710
Conditional data combination, 367–396
Confidence envelope, 727–733
Conflict, 673–695
  data set, 181–207
Conflicting phylogenetic patterns caused by molecular mechanisms in mitochondrial DNA sequences, Richard E. Broughton, Gavin J. P. Naylor, and Thomas E. Dowling, 696–701
Congruence, 427–444
  taxonomic, 367–396
  tests, 545–567
Conoplectus, 374–376, 380–381, 386, 391–396

canaliculatus, 390
Consensus, 497–508
analysis, 568–581
Consistency, 43–60
Continuous characters, 654–672
Contrasts, independent, 654–672
Cophosaurus, 401, 429, 627
texanus, 401
Corallistes, 357, 361, 363–364
masoni, 354–355, 358, 360, 364–366
Corallistidae, 363
Cordylidae, 403
Coriaria, 35
Craniata, 63
Crassulaceae, 35
Crocodylia, 733–737
Crocodylus rhombifer, 735
Crotaphytus collaris baileyi, 757
collaris ssp., 757
dickersonae, 757
insularus bicinctores, 757
insularus vestigium, 757
reticulatus, 757
Crustacea, 609
Curculigo, 287, 290, 294
Curculionidae, 475
Cyclanthanae, 300
Cyparium, 373–376, 379, 391–396
concolor, 390
Cyperaceae, 34, 300
Cyperales, 300
Cyperus, 34
Cyprinella spiloptera, 696–701
venusta, 698
Cyprinus carpio, 63
Cytochrome *b*, 589–603

Dalechampia, 609
Dasycerinae, 374
Dasycerus, 374–375, 380–381, 386, 391–396
angulicollis, 390
Data
combination, conditional, 367–396
decisiveness, 282–310
missing, 625–640
partitions, 311–335
Database, 495–496
Data decisiveness, data quality, and incongruence in phylogenetic analysis: an example from the monocotyledons using mitochondrial *atp*A sequences, Jerrold I. Davis, Mark P. Simmons, Dennis W. Stevenson, and Jonathan F. Wendel, 282–310
Data set
conflict, 181–207, 733–737
robustness, 604–616
Data sets, large, 32–42
Data sets, partitions, and characters: philosophies and procedures for analyzing multiple data sets, J. William O. Ballard, Margaret K. Thayer, Alfred F. Newton, Jr., and Elizabeth R. Grismer, 367–396
Datisca, 35
Davis, Jerrold I., Mark P. Simmons, Dennis W. Stevenson, and Jonathan F. Wendel, Data decisiveness, data quality, and incongruence in phylogenetic analysis: an example from the monocotyledons using mitochondrial *atp*A sequences, 282–310
Day, William H. E., George F. Estabrook, and F. R. McMorris, Measuring the phylogenetic randomness of biological data sets, 604–616
Decaisnea, 35
Decisiveness, data, 282–310
Delphinapterus
leucas, 116, 122–124
leucus, 339
Delphinidae, 94–95, 101, 104, 108, 110, 339–341, 343
Delphinoidea, 100–101, 110, 339–341, 343
Delphinus delphis, 116, 122–124, 339
Demospongiae, 351–366
Dendrolagus, 457, 465
dorianus, 460, 462–463, 467, 472–474
goodfellowi, 460, 462, 467, 472–474
Dendronanthus, 590, 592, 594–596, 599–600
indicus, 591
Dermophis, 681, 686–687, 692, 695
Dermoptera, 139
DeSalle, R., see Schierwater, B., —
Diagram, bifurcating branching, 617–624
Dianous, 373–374, 376, 379, 386, 391–396
nitidulus, 390
Díaz-Uriarte, Ramón and Theodore Garland Jr., Effects of branch length errors on the performance of phylogenetically independent contrasts, 654–672
Dicentra, 35, 37
Dickerman, Allan W., Generalizing phylogenetic parsimony from the tree to the forest, 414–426
Didelphis virginiana, 63
Dimension, fractal, 264–281
Dionda episcopa, 758
Dioscoreales, 287, 295
Diptera, 134–137, 527–533
Discodermia, 357, 361, 363–364
polydiscus, 355, 357–358, 360, 364–366
Dispersal, 445–456
Distance, 427–444
methods, 228–253
Distances, genetic, 208–227
Distribution, redundant, 445–456
diversification, 710–718
DNA
chloroplast, 545–567
mitochondrial, 61–76, 336–344
human, 445–456
plant, 282–310
ribosomal, 351–366
18S and 20S, 134–138
sequence, 495–496
sequences, 90–124
Does adding characters with missing data increase or decrease phylogenetic accuracy?, John J. Wiens, 625–640
Donoghue, Michael J., see Ree, Richard H., and —
Dorcopsis, 457, 460, 462, 465, 467–468, 472–474
veterum, 460
Dorcopsoides fossilis, 467

Dorcopsulus, 457, 462, 465, 467–468, 472–474
vanheurni, 460
Dowling, Thomas E., see Broughton, Richard E., —
Doyle, Kevin D., see Murphy, Robert W. —
Dromaius novaehollandiae, 735, 736
Dropephylla, 373, 386, 391–396
cacti, 390
Drosophila, 137, 279, 385
yakuba, 63
Drosophilia
mauritiana, 368
simulans, 368
Dudleya, 35
Durodon osiris, 91
Dyakiidae, 451, 610

Echinocaulon, 609
Echinodermata, 609
Echiura, 621
Ecionema, 359–360
Eckenwalder, James E., see Graham, Sean W., —
Edaphus, 374–377, 379, 385–386, 391–396
americanus, 390
nitidus, 390
Editorial comment: New publisher, special issue of *Systematic Biology*, and introduction of editor-elect, David Cannatella, Richard Olmstead, 1–2
Edwards, Scott V., see Voelker, Gary, and —
Effects of branch length errors on the performance of phylogenetically independent contrasts, Ramón Díaz-Uriarte and Theodore Garland Jr., 654–672
Efficiency, 43–60
Eichhornia, 546, 566–567
azurea, 567
crassipes, 567
diversifolia, 567
heterosperma, 567
meyeri, 567
paniculata, 567
paradoxa, 567
Elegia, 300
Eleutherodactylus bransfordii, 609
Endler, John A., see McLellan, Tracy, and —
Entiminae, 475–494
Ephedra sinica, 33
Epicrionops, 679, 681, 686–687, 695
Equus, 609
Ericaceae, 609
Eriocaulaceae, 287, 300
Eriocaulon, 287–288, 295–298, 300
Error, Type I, 654–672
Erylus, 357, 359, 363
euastrum, 353, 355, 358, 364–366
Escherichia coli, 461
Eschrichtius, 341
robustus, 339
Estabrook, George F., see Day, William H. E., —
Estimation, phylogeny, 18–31
Euaesthetinae, 374
Euasterina, 359
Euastrophorida, 352, 355, 357–361, 363
Eucalyptus obliqua, 390
Eucommia, 35
Euconnus, 373–374, 376, 379–380, 386, 390–396
Eucryphia, 390
Euphorbiaceae, 609
Eurystemon, 546
Eusphalerum, 373, 379–380, 386, 390–396
Evidence
compatible, 367–396
total, 367–396
Evolution
character, 582–588
floral, 181–207
Evolutionary rate, optimum, 125–133

Fagus, 38
Fast method for approximating maximum likelihoods of phylogenetic trees from nucleotide sequences, a, James S. Rogers and David L. Swofford, 77–89
Feresa attenuata, 116, 122–124
File format, 495–496
Fink, William L., see Swiderski, Donald L., —; Zelditch, Miriam Leah, —; Zelditch, Miriam Leah, and —
Flagellaria, 287, 291, 295–298, 300
Flagellariaceae, 287, 300
Flight, 710–718
Floerkea, 35
Floral evolution, 181–207
Forest, 414–426
Format, file, 495–496
Fourier analysis, 264–281
Four-taxon phylogeny, 138–146
Fractal dimension, 264–281
Frequency-coding, 737–761
Frogs, 311–335

Gallus gallus, 63
Gambelia wislizenii, 757
Gambusia, 609
Garland, Theodore Jr., see Díaz-Uriarte, Ramón, and —
Garrya, 35
Gastropoda, 451
Gastropods, 254–263
Gavialis, 734, 736
gangeticus, 735
Gekkonidae, 403
Gekkota, 403
Generalizing phylogenetic parsimony from the tree to the forest, Allan W. Dickerman, 414–426
Genetic distances, 208–227
Genetic distances and ordination: the land snail *Helix aspersa* in North Africa as a test case, Annie Guiller, Alain Bellido, and Luc Madec, 208–227
Gene trees, 414–426
Gentianaceae, 609
Geodiidae, 357–359, 361, 363
Geometric morphometrics, 147–173, 254–263, 345–348
Gerromorpha, 609
Ginkgo, 645
biloba, 33, 646
Glaucidium, 35
Glires, 138–146
Globicephala
macrorhynchus, 116, 122–124
melaena, 116, 122–124

Globicephela melas, 339
Gondwana, 181–207
Gossypium, 196
Graham, Sean W., Joshua R. Kohn, Brian R. Morton, James E. Eckenwalder, and Spencer C. H. Barrett, Phylogenetic congruence and discordance among one morphological and three molecular data sets from Pontederiaceae, 545–567
Grampus griseus, 116, 122–124
Grandisonia, 689, 695
  alternans, 681
  brevis, 681
  larvata, 681
  sechellensis, 681
Graybeal, Anna, Is it better to add taxa or characters to a difficult phylogenetic problem?, 9–17
Grismer, Elizabeth R., see Ballard, J. William O., —
Guiller, Annie, Alain Bellido, and Luc Madec, Genetic distances and ordination: the land snail *Helix aspersa* in North Africa as a test case, 208–227
Gymnophiona, 679
Gymnophthalmidae, 403
Gymnostachys, 286–287, 290, 293–294, 296, 304

Habrocerinae, 376
Habrocerus, 373, 376, 379, 386, 391–396
  capillaricornis, 390
Hadromerida, 352, 355, 359
Haemodoraceae, 287
Haemodorales, 287, 295, 300
Halanych, Kenneth M., Lagomorphs misplaced by more characters and fewer taxa, 138–146
Halichondria, 364
  panicea, 355, 357, 364–366
Halichondrida, 352, 355
Haloragis, 35
Halteria, 134–135, 138
Hausdorf, Bernhard, Weighted ancestral area analysis and a solution of the redundant distribution problem, 445–456
Hedwigiaceae, 609
Heliconia, 610, 612
Helix aspersa, 208–227
  major, 210–211
  maxima, 210
Helodermatidae, 403
Hemiasterella, 359
Hemimacronyx, 590–591, 595, 597, 600
  chloris, 591
Hemiptera, 609
Herpetology, F. Harvey Pough, R. M. Andrews, J. E. Cadle, M. L. Crump, A. H. Savitzky, and K. D. Wells (rev.), 763–764
Heteranthera, 546, 553
  dubia, 551, 566–567
  limosa, 567
  oblongifolia, 556, 567
  rotundifolia, 567
  sensu lato, 551
  seubertiana, 556, 566–567
  zosterifolia, 556, 567
Hierarchy, 673–695
Hillis, David M., see Cannatella, David, C., —
Hillis, David M., Taxonomic sampling, phylogenetic accuracy, and investigator bias, 3–8
Holbrookia, 401, 429, 627
  lacerata, 760–761
  maculata, 760–761
  propinqua, 760–761
Holometabola, 135, 137
Holoxea, 359
Homo, 679–681
Homoasterina, 359
Homology, 351–366
Homoplasy, 61–76, 125–133, 582–588, 696–701
Homoscleromorpha, 351
Hoot, Sara B., see Soltis, Douglas E., —
Hopping, bipedal, 457–474
Houttuynia, 35
Huelsenbeck, John P., see Rannala, Bruce, —
Huelsenbeck, John P., Systematic bias in phylogenetic analysis: is the Strepsiptera problem solved?, 519–537
Human mtDNA, 445–456
Humulus, 35
Hybognathus, 740
  amarus, 758
  hankinsoni, 748–749, 758
  nuchalis, 758
  placitus, 748–749, 758
Hybridization, 414–426, 475–494
Hydrastis, 35
Hydrophyllum, 35
Hydrothrix, 546–547, 551
  gardneri, 556, 566–567
Hymenelia, 609
Hymenoptera, 135, 137–138, 529
Hyperoodon ampullatus, 115
Hypertree, 414–426
Hypogeophis, 681, 689, 695
Hypothesis
  null, 617–624
  sensory exploitation, 311–335
Hypoxidaceae, 287
Hypsiprymnodon, 457–474
  moschatus, 457–461, 466
Hypsiprymnodontidae, 469

Iberobathynella, 609
Ichthyophiidae, 685, 695
Ichthyophis, 679, 681, 686–687, 695
Iguania, 403
Iguanidae, 403, 609
Illiciales, 35
Incongruence, 475–494, 545–567
  character, 282–310
Incongruence between morphological and mitochondrial-DNA characters suggests hybrid origins of parthenogenetic weevil lineages (genus *Aramigus*), Benjamin B. Normark and Anal¡a A. Lanteri, 475–494
Inconsistency, method, 519–537
Independent contrasts, 654–672
Individuality and the existence of species through time, David A. Baum, 641–653

Individuation, 641–653
Inference, phylogenetic, 61–76, 582–588
Inferring complex phylogenies using parsimony: an empirical approach using three large DNA data sets for angiosperms, Douglas E. Soltis, Pamela S. Soltis, Mark E. Mort, Mark W. Chase, Vincent Savolainen, Sara B. Hoot, and Cynthia M. Morton, 32–42
Influence of alignment on the mtDNA phylogeny of Cetacea: questionable support for a Mysticeti/Physeteroidea clade, Salvatore Cerchio and Priscilla Tucker, 336–344
Inia, 100, 339, 341, 343
  geoffrensis, 101, 110, 115, 122–124
Iniidae, 340
Interpreting sister-group tests of key innovation hypotheses, Alan de Queiroz, 710–718
Introgression, 181–207
Inuleae, 609
Ionaspis, 609
Iridaceae, 609
Iva, 610
Ixieae, 609
Ixioideae, 609

Joinvilleaceae, 300
Juncaceae, 34, 300
Juncus, 34
Juniperus, 390

Kalenchoe, 35
Kangaroo, 457–474
Kengyilia, 610, 612
Key innovations, 710–718
Kim, Junhyong, Large-scale phylogenies and measuring the performance of phylogenetic estimators, 43–60
Kogia, 101
  breviceps, 115, 122–124, 339
  simus, 115, 122–124, 339
Kogiidae, 339–343
Kohn, Joshua R., see Graham, Sean W., —

Lacertidae, 403
Lachnocaulon, 300
Lactoridaceae, 38
Lactoris, 35
Lactuca, 182
Lagenodelphis hosei, 117, 122–124
Lagenorhynchus
  acutus, 95, 116, 122–124
  albirostris, 117, 122–124, 339
  australis, 95, 116, 122–124
  cruciger, 95, 122–124
  obliquidens, 95, 116–117, 122–124
  obscurus, 95, 104, 116, 122–124, 339
Lagomorpha, 138–146
Lagomorphs misplaced by more characters and fewer taxa, Kenneth M. Halanych, 138–146
Lagorchestes, 457, 462–463, 472–474
  hirsutus, 460
Lagostrophus fasciatus, 467
Landmark, analysis, 264–281
Landmark-based thin-plate spline relative warp analysis of gastropod shells, J. R. Stone, 254–263
Landmarks, 254–263
Lanteri, Anal;a A., see Normark, Benjamin B., and —
Lanthanotus, 403
Large data sets, 32–42
Large-scale phylogenies and measuring the performance of phylogenetic estimators, Junhyong Kim, 43–60
Large-scale phylogeny, 43–60
Lauder, George V.. see Rose, Michael R., and —
Laupala, 329
Leaf shape, 264–281
Lee, Michael S. Y., Phylogenetic uncertainty, molecular sequences, and the definition of taxon names, 719–726
Leiodidae, 370
Lengths, branch, 125–133, 654–672
Lepidoptera, 134–137, 529
Leptodactylidae, 311–335
Leptopodomorpha, 609
Likelihood, 125–133, 427–444, 617–624
  maximum, 77–89, 134–138, 228–253, 519–537, 589–603
Likelihood-ratio test, 90–124
Liliales, 287, 295
Lilianae, 287, 295–296, 300
Liliopsida, 283, 287
Lipotes vexillifer, 110, 116, 122–124
Liquidambar, 264–281
  styraciflua, 265–266, 271–272, 274–276
Lissamphibia, 694
Lissodelphis
  borealis, 117, 122–124
  peronii, 117, 122–124, 339
Li, W.-H., Molecular evolution (rev.), 174–176
Lobelia, 35
Long-branch attraction, 9–17, 134–138, 519–537
Long-branch distraction and the Strepsiptera, Michael F. Whiting, 134–138
Longitubae, 181, 188, 190, 193–197
Lundrigan, Barbara L., see Zelditch, Miriam Leah, —
Lutrogale, 500
Lythraceae, 610

Macronyx, 590–591, 595, 600
  capensis, 591
  croceus, 591
  sharpei, 590
Macropodidae, 457–474
Macropodinae, 457, 459, 468
Macropus, 457–458, 460
  agilis, 459, 465, 467, 472–474
  rufus, 459, 463, 465, 467, 472–474
Madec, Luc, see Guiller, Annie, —
Magnoliidae, 287, 299
Magnoliopsida, 287
Malvaceae, 194, 196
Marchantia polymorpha, 285
Margin roughness, 264–281
Matrix representation, 497–508
Maximum likelihood, 77–89, 134–138, 228–253, 519–537, 589–603
Maximum parsimony, 702–710

McGuire, Jimmy A., see Messenger, Sharon L., and —
McLellan, Tracy, and John A. Endler, The relative success of some methods for measuring and describing the shape of complex objects, 264–281
McMorris, F. R.. see Day, William H. E., —
Measuring the phylogenetic randomness of biological data sets, William H. E. Day, George F. Estabrook, and F. R. McMorris, 604–616
Mecoptera, 136–137, 529
Mecopterida, 136–137
Megachiroptera, 609
Megaloptera, 134–135, 137, 529
Megaptera novaeangliae, 122–124, 339
Megarthrus, 391–396
  americanus, 390
Melanthiaceae, 287
Melanthiales, 287, 295
Meloe proscarabaeus, 533
Meloidogyne, 488
Menidia, 609
Merck, John W., Jr., review by, 541–543
Mesoplodon, 94–96, 104
  bidens, 115, 122–124
  carlhubbsi, 115, 122–124
  densirostris, 115, 122–124
  europaeus, 95, 115, 122–124, 339
  ginkgodens, 115, 122–124
  grayi, 115, 122–124
  hectori, 95, 115, 122–124
  layardii, 115, 122–124
  mirus, 115, 122–124
  peruvianis, 339
  stejnegeri, 115, 122–124
Messenger, Sharon L., and Jimmy A. McGuire, Morphology, molecules, and the phylogenetics of cetaceans, 90–124
Metaspecies, 641–653
Method inconsistency, 519–537
Methods
  coding, 397–413
  distance, 228–253
  Monte Carlo, 604–616
Micropeplinae, 374
Mirabilis, 35
Missing data, 625–640
Mitochondrial DNA, 61–76, 336–344
  human, 445–456
  plant, 282–310
Mixed hierarchic signals, 733–737
Model
  Ornstein-Uhlenbeck, 654–672
  speciational, 654–672
Modeling, 18–31
Molecular
  clock, 90–124, 181–207
  phylogenetics, 719–726
  systematics, 61–76, 351–366
Molecular ecology and evolution: approaches and applications, B. Schierwater, B. Streit, G. P. Wagner, and R. DeSalle (eds.) (rev.), 176–179
Molecular evolution, W.-H. Li (rev.), 174–176
Mollusca, 621
Monochoria, 546, 551
  cyanea, 567
  hastata, 567
  korsakovii, 567
  vaginalis, 567
Monocotyledons, 282–310
Monodon monoceros, 116, 122–124
Monodontidae, 110
Monte Carlo methods, 604–616
Morphology, 90–124, 427–444, 545–567
Morphology, molecules, and the phylogenetics of cetaceans, Sharon L. Messenger and Jimmy A. McGuire, 90–124
Morphometrics, 264–281, 508–519
  geometric, 147–173, 254–263, 345–348
Morphometrics is not special, why: coding quantitative data for phylogenetic analysis, Donald L. Swiderski, Miriam Leah Zelditch, and William L. Fink, 508–519
Mort, Mark E., see Soltis, Douglas E., —
Morton, Brian R., see Graham, Sean W., —
Morton, Cynthia M., see Soltis, Douglas E., —
Morus, 35
Motacilla, 590, 594–596, 600
  alba, 591, 594
  capensis, 591
  cinerea, 591, 594
  flava, 591, 594
  flaviventris, 591–592
Motacillidae, 589–603
Motion, Brownian, 654–672
mtDNA, 61–76, 336–344, 696–701
  human, 445–456
  plant, 282–310
Multiple regression, 18–31
Murphy, Robert W., and Kevin D. Doyle, Phylophenetics: Frequencies and polymorphic characters in genealogical estimation, 737–761
Mus
  domesticus, 609
  musculus, 63
Musci, 609
Myriastra, 359
Myrica, 35, 38
Mysticeti, 90–124, 336–344

Nadler, Steven A., see Blackstone, Neil W., and —
Nandina, 35
Naupactini, 475–494
Naupactus, 478
Naylor, Gavin J. P., see Broughton, Richard E., —
Naylor, Gavin J. P., and Wesley M. Brown, Amphioxus mitochondrial DNA, chordate phylogeny, and the limits of inference based on comparisons of sequences, 61–76
*ndh*F, 545–567
Necrophilus, 372, 384, 391–396
  hydrophiloides, 390
Nelumbo, 35, 37
Neoclamisus
  bebbianae, 170–172, 347
  chamaedaphnes, 170–171
  comptoniae, 170–171
  gibbosus, 170–172
  platani, 170–171

Neopelatops, 375, 379, 381, 390–396
Neophocaena phocaenoides, 116, 122–124
Nepenthes, 35
Neuroptera, 135, 137, 529
Neuropterida, 138
Newton, Alfred F. Jr., see Ballard, J. William O., —
NEXUS, 495–496
Nicholls, Elizabeth L., see Callaway, Jack M. —
Nielsen, Rasmus, see Rannala, Bruce, —
NMDS, 208–227
Node-based definitions, 719–726
Noise, 545–567
Nonrecursive formula to determine cladogram probabilities, using a, J. Stone and J. Repka, 617–624
Normark, Benjamin B., and Analja A. Lanteri, Incongruence between morphological and mitochondrial-DNA characters suggests hybrid origins of parthenogenetic weevil lineages (genus *Aramigus*), 475–494
Null hypothesis, 617–624
Null models, 710–718
Nypa, 287, 295–296

Odontoceti, 90–124, 336–337, 340–343
Oenothera, 285–286
Oiceoptoma, 375, 379, 386, 391–396
  noveboracense, 390
Oligochaeta, 609
Olmstead, Richard, see Cannatella, David, and —
Omaliinae, 373–374
Onagraceae, 285
Oncorhynchus mykiss, 63
Ontholestes, 375, 379, 386, 391–396
  cingulatus, 390
Ontogeny, 168–173
Onychogalea, 457, 472–474
  unguifera, 460
Opresus, 374, 376–377, 379–380, 385–386, 390–396
Optimum evolutionary rate, 125–133
Orcaella brevirostris, 110, 116, 122–124
Orcinus orca, 116, 122–124
Ordination, 208–227
Ornstein-Uhlenbeck model, 654–672
Oryza, 286–288, 292–293, 295–298, 300
Osoriinae, 370
Otiorhynchus scaber, 483
Oxyporus, 374, 376, 379, 386, 391–396
  stygicus, 390
Oxytelus, 373–376, 391–396
  convergens, 390

Pachastrellidae, 361
Pachastrissa, 357, 361, 364
  pathologica, 353, 355, 358, 364–366
Pachira, 182, 188, 192, 195, 197, 201–207
  aquatica, 201
Pachymatisma, 357, 359, 363–364
  johnstoni, 353, 355, 364–366
Palimbolus, 374–376, 380–381, 386, 391–396
  victoriae, 390
Pandanae, 300
Pantomorus, 478
Paracentrotus lividus, 63
Parsimony, 9–17, 32–42, 77–89, 125–133, 228–253, 397–444, 497–508, 519–537, 582–588, 625–640
Parthenogenesis, 475–494
Partial warps, 147–158
Partial warps, phylogeny, and ontogeny: a comment on Fink and Zelditch (1995), Dean C. Adams and Michael S. Rosenberg, 168–173
Partial warps, phylogeny and ontogeny: a reply to Adams and Rosenberg, Miriam Leah Zelditch and William L. Fink, 345–348
Partition-homogeneity test, 90–124
Partitions, data, 311–335
Passer griseus, 591
Passeridae, 591–592, 594–596, 599–600
Pegolettia, 609
Peltanthera, 609
Peltosyne triassica, 369
Penares, 357–360, 363
  helleri, 353, 355, 364
Penstemon, 609
Penthorum, 35
Peperomia, 35
Peponocephala electra, 95, 116, 122–124
Peradorcas, 457, 472–474
  concinna, 460
Performance, 43–60
Persea, 423
  americana, 423–424
  floccosa, 423–424
  nubigena, 423–424
  schiedeana, 423–425
  steyermarkii, 423
Persoonia, 609
Petromyzon marinus, 63
Petrosaurus, 401, 429–430, 433
  thalassinus, 401
Petunia, 182
Phacelia, 35
Phalanger, 472–474
  orientalis, 461
Phenetics, 159–167, 345–348
Phenogram, 737–761
Philydraceae, 546, 552, 567
Philydrum lanuginosum, 546, 566–567
Phocoena
  phocoena, 95, 116, 122–124, 339
  sinus, 95, 116, 122–124
  spinipinnis, 116, 122–124, 339
Phocoenidae, 101, 110, 339–341, 343
Phocoenoides dalli, 116, 122–124
Phrynosoma, 401, 429–430, 433, 627
  douglasi, 401
Phrynosomatidae, 401, 428, 626
Phyllodoceae, 609
Phylogenetic
  accuracy, 568–581
  inference, 61–76, 582–588, 702–710
  randomness, 604–616
  reconstruction, 9–17
  systematics, 508–519, 641–653
  taxonomy, 641–653, 719–726
  tree, 617–624

Phylogenetic analysis and intraspecific variation: performance of parsimony, likelihood, and distance methods, John J. Wiens and Maria R. Servedio, 228–253
Phylogenetic congruence and discordance among one morphological and three molecular data sets from Pontederiaceae, Sean W. Graham, Joshua R. Kohn, Brian R. Morton, James E. Eckenwalder, and Spencer C. H. Barrett, 545–567
Phylogenetic position of the musky rat-kangaroo and the evolution of bipedal hopping in kangaroos (Macropodidae: Diprotodontia), the, Angela Burk, Michael Westerman, and Mark Springer, 457–474
Phylogenetic uncertainty, molecular sequences, and the definition of taxon names, Michael S. Y. Lee, 719–726
Phylogenetics, 159–167, 345–348
Phylogenies, 702–710
Phylogeny, 32–42, 90–133, 181–207, 336–344, 351–366, 414–426, 673–695, 727–733
  chordate, 61–76
  estimation, 18–31 737–761
  four-taxon, 138–146
  large-scale, 43–60
Phylogeny of frogs of the *Physalaemus pustulosus* species group, with an examination of data incongruence, David C. Cannatella, David M. Hillis, Paul T. Chippindale, Lee Weigt, A. Stanley Rand, and Michael J. Ryan, 311–335
Phylophenetics: Frequencies and polymorphic characters in genealogical estimation, Robert W. Murphy and Kevin D. Doyle, 737–761
Physalaemus, 311–335
  coloradorum, 314, 316, 319–322, 328, 332–335
  enesefae, 312, 314, 316, 320–321, 332–335
  ephippifer, 312, 314, 316, 320–321, 332–335
  freibergi, 312, 314, 316, 320–322, 326, 328–329, 332–335
  petersi, 312, 314, 316, 320–322, 326, 328–329, 332–335
  pustulatus, 314, 316, 319–322, 328, 332–335
  pustulosus, 311–314, 316, 320–323, 327–329, 332–335
Physeter, 97, 100–101, 342–343
  catodon, 96, 100, 115, 122–124, 339, 343
Physeteridae, 90–91, 97, 100–101, 110
Physeteroidea, 336–344
Phytolacca, 35
Pimephales promelas, 758
Pinus
  coulteri, 390
  edulis, 390
  menziesii, 33
  ponderosa, 390
Piper, 35, 286–287, 289, 291
Piperaceae, 35, 287
Piranhas, 508–519
Placospermum, 35, 37
Plant mitochondrial DNA, 282–310
Platanista gangetica, 110, 115, 122–124
Platanus, 35, 37
Plumbago, 35
Pluralism, 641–653
Poaceae, 285, 287, 300
Poales, 287, 295–297, 300
Poeciliidae, 609
Poecillastra, 357, 363–364
  compressa, 354–355, 364–366
Poe, Steven, Sensitivity of phylogeny estimation to taxonomic sampling, 18–31
Polinices heros, 256
Polistes, 137
  dominulus, 533
Polygonum, 609
Polymorphic characters, 427–444, 737–761
Polymorphism, 228–253
Polyphaga, 369
Polypteridae, 445–456
Poncirus, 35
Pondederia, 546
Pontederia, 551
  cordata, 546, 567
  rotundifolia, 567
  sagittata, 567
Pontederiaceae, 545–567
Pontoporia blainvillei, 110, 115, 122–124
Porifera, 352
Potoroidae, 466
Potoroinae, 457–459, 462, 466, 468
Potorous, 457–458, 462, 465–468, 472–474
  longipes, 460
Praslinia, 681, 686, 695
Principal components, 254–263
Properties of matrix representation with parsimony analyses, Olaf R. P. Bininda-Emonds and Harold N. Bryant, 497–508
Proteininae, 374
Proteinus, 390–396
Prototheca wickerhamii, 285
Prunella atrogularis, 591
Prunellidae, 591–592, 595, 597, 599–600
Pselaphinae, 370, 374, 386
Pseudobombax, 182, 185, 188, 197, 201–207
  marginatum, 201
Pseudorca crassidens, 116, 122–124
Pseudotsuga menziesii, 33, 390
Pteronura, 500
Pycnostylis, 609
Pygocentrus, 508–519
Pygocentrus, 170, 610
  cariba, 169, 514, 516
  nattereri, 169, 514, 516
  piraya, 169, 514, 516
Pygopodidae, 403
Pygopristis, 508–519
Pygopristis denticulata, 168–169, 514–516

Qualitative taxonomic characters, 604–616
Quantitative characters, 508–519
de Queiroz, Alan, Interpreting sister-group tests of key innovation hypotheses, 710–718
de Queiroz, Alan, review by, 538–541
Quercus, 264–281, 390
  alba, 265–266, 272, 274–276
  palustris, 265–266, 272, 274–276

Ramphocelus, 386, 598

Rana aurora, 749, 756
boylii, 749, 756
cascadae, 749, 756
dybowskii, 756
muscosa, 749, 756
pretiosa, 756
sylvatica, 756
temporaria, 756
Rand, A. Stanley, see Cannatella, David, C., —
Randomization, 673–695
Randomness, phylogenetic, 604–616
Rannala, Bruce, John P. Huelsenbeck, Ziheng Yang, and Rasmus Nielsen, Taxon sampling and the accuracy of large
Ranunculus, 35
Raphidioptera, 134–135, 137, 529
Rate variation, 589–603
Rattus norvegicus, 63
*rbc*L, 282–310, 545–567
Reassessment of homology of morphological characters in Tetractinellid sponges based on molecular data, Catherine Chombard, Nicole Boury-Esnault, and Simon Tillier, 351–366
Reconstruction, phylogenetic, 9–17
Redundant distribution, 445–456
Ree, Richard H., and Michael J. Donoghue, Step matrices and the interpretation of homoplasy, 582–588
Regression, multiple, 18–31
Relative success of some methods for measuring and describing the shape of complex objects, the, Tracy McLellan and John A. Endler, 264–281
Repka, J., see Stone, J., and —
Representation, matrix, 497–508
Restionaceae, 300
Restriction sites, 282–310
Reticulation, 414–426, 475–494
Reussia, 546
Reverse successive weighting, John W. H. Trueman, 733–737
Rhabdasterina, 359–360
Rhagoletis
boycei, 759
completa, 759
juglandis, 759
pomonella, 759
suavis, 759
zoqui, 759
Rhinatrematidae, 695
Rhinocochlis, 611
Ribosomal DNA, 351–366
18S and 20S, 134–138
Ribosomal RNA, 457–474
RKB3 test, 727–733
RNA, ribosomal, 457–474
Robustness, data set, 604–616
Rodentia, 526
Rodrigo, Allen G., Combinability of phylogenies and bootstrap confidence envelopes, 727–733
Rogers, James S., and David L. Swofford, A fast method for approximating maximum likelihoods of phylogenetic trees from nucleotide sequences, 77–89
Rohlf, F. James, On applications of geometric morphometrics to studies of ontogeny and phylogeny, 147–158
Root weevils, 475–494
Rose, Michael R., and George V. Lauder (eds.), Adaptation (rev.), 538–541
Rosenberg, Michael S., see Adams, Dean C., and —
Roughness, margin, 264–281
Roussea, 35
Rubiaceae, 609
Ryan, Michael J., see Cannatella, David, C., —

Saguinus, 609
Salamandridae, 609
Salpinctes obsoletus, 591
Sampling
taxon, 9–17, 397–413
taxonomic, 18–31
Sanidasterina, 359
Saruma, 35, 287, 291
Saturation, 125–133
Sauria, 609
Saururaceae, 35
Saururus, 35
Savolainen, Vincent, see Soltis, Douglas E., —
Saxifragaceae, 35, 37
Saxifragaceae mertensiana, 35
Scandentia, 139
Sceloporus, 401, 429–430, 437, 439, 568–581, 627
clarkii, 429
couchii, 429
jalapae, 429
melanorhinus, 429
ochoterenae, 429
smaragdinus, 429
taeniocnemis, 429
variabilis, 429
Schiedea, 609
Schierwater, B., B. Streit, G. P. Wagner, and R. DeSalle (eds.), Molecular ecology and evolution: approaches and applications (rev.), 176–179
Schistometopum, 681, 686–687, 692, 695
Scholleropsis, 546
Scincidae, 403
Scincoidea, 403
Scincomorpha, 403, 408
Scleritodermidae, 361
Scydmaenidae, 376, 379
Searching, tree, 77–89
Sedum, 35
Sensitivity of phylogeny estimation to taxonomic sampling, Steven Poe, 18–31
Sensory exploitation hypothesis, 311–335
Separate analysis, 568–581
Sequence
amino acid, 138–146
DNA, 495–496
Sequences, DNA, 90–124
Serpentes, 403
Serrasalmus, 508–519
Serrasalmus
elongatus, 514–516
gouldingi, 169, 514, 516

Servedio, Maria R., see Wiens, John J., and —
Setonix, 457, 462, 472–474
brachyurus, 459
Shaffer, H. Bradley, review by, 763–764
Shape, leaf, 264–281
Sheps, Jonathan A., see Cohen, Bernard L., —
Silphidae, 379
Simmondsia, 35, 37–38
Simmons, Mark P., see Davis, Jerrold I., —
Simulation, 9–17, 125–133, 147–158, 519–537
computer, 568–581
Simulations, 228–253, 397–413, 625–640, 654–672
Sinofranchetia, 35
Siphonaptera, 136–137, 529
Siphonops, 681, 686, 692
Sipuncula, 609
Sipunculida, 621
Sister-group tests, 710–718
Sites, restriction, 282–310
Skeleton, 351–366
Small, Randall L., see Baum, David A., —
Smilacaceae, 287
Smilax, 287, 295
Solanum, 609
Soltis, Douglas E., Pamela S. Soltis, Mark E. Mort, Mark W. Chase, Vincent Savolainen, Sara B. Hoot, and Cynthia M. Morton, Inferring complex phylogenies using parsimony: an empirical approach using three large DNA data sets for angiosperms, 32–42
Soltis, Pamela S., see Soltis, Douglas E., —
Sotalia fluviatilis, 95, 116, 122–124
Sousa
chinensis, 95, 116, 122–124
plumbea, 116
teuszii, 95, 122–124
Speciational model, 654–672
Spectral analysis, 673–695
Sperm whales, 336–344
Spicule, 351–366
Spirophorida, 352, 355, 361, 363
Spline, thin-plate, 168–173, 254–263
Splits, 673–695
Split support and split conflict randomization tests in phylogenetic inference, Mark Wilkinson, 673–695
Springer, Mark, see Burk, Angela, —
Squamata, 397–413
Staphylinidae, 367–379
Staphylininae, 370
Staphylinoidea, 369–370
States, ancestral, 582–588
Statistics, 673–695
Stegokrotaphia, 695
Stelletidae, 359
Stelletta, 359
Stem-based definitions, 719–726
Stenella
attenuata, 95, 116, 122–124
clymene, 95, 116, 122–124
coeruleoalba, 95, 116, 122–124
frontalis, 95, 116, 122–124
longirostris, 95, 116, 122–124
Steno bredanensis, 116, 122–124
Step matrices and the interpretation of homoplasy, Richard H. Ree and Michael J. Donoghue, 582–588
Stevenson, Dennis W., see Davis, Jerrold I., —
Stone, J., and J. Repka, Using a nonrecursive formula to determine cladogram probabilities, 617–624
Stone, J. R., Landmark-based thin-plate spline relative warp analysis of gastropod shells, 254–263
Streit, B., see Schierwater, B., —
Strepsiptera, 134–138, 527–533
Streptosclerophorida, 352, 355, 357–358, 360–361, 363
Strongylocentrotus purpuratus, 63
Stryphnus, 357–359, 363–364
mucronatus, 353–355, 358, 364–366
Sullivan, Jack, review by, 174–176
Supertrees, 497–508
Support, 673–695
Swiderski, Donald L., see Zelditch, Miriam Leah, —
Swiderski, Donald L., Miriam Leah Zelditch, and William L. Fink, Why morphometrics is not special: coding quantitative data for phylogenetic analysis, 508–519
Swofford, David L., see Rogers, James S., and —
Sympatry, 445–456
Symplocarpus, 287, 290, 293–294, 296, 304
Syncarida, 609
Systematic bias in phylogenetic analysis: is the Strepsiptera problem solved?, John P. Huelsenbeck, 519–537
Systematics, 336–344, 589–603
molecular, 61–76, 351–366
phylogenetic, 508–519, 641–653

Tacca, 287, 295
Taccaceae, 287
Tachinus, 373, 376, 379, 391–396
luridus, 390
Tandem repeats, 696–701
Tasmacetus shepherdi, 115, 122–124
Taxonomic
characters, qualitative, 604–616
congruence, 367–396
sampling, 18–31
Taxonomic sampling, phylogenetic accuracy, and investigator bias, David M. Hillis, 3–8
Taxonomy, phylogenetic, 641–653
Taxon
names, 719–726
sampling, 9–17, 397–413, 702–710
Taxon sampling and the accuracy of large phylogenies, Bruce Rannala, John P. Huelsenbeck, Ziheng Yang, and Rasmus Nielsen, 702–710
Tayassua tajacu, 92–93, 99, 115, 122–124, 339
Teiidae, 403
Teleostei, 609
Templeton test, 90–124
Tenebrionidae, 385
Test
likelihood-ratio, 90–124
partition-homogeneity, 90–124
Templeton, 90–124
Testing phylogenetic methods with tree congruence: phylogenetic analysis of polymorphic morphological characters in phrynosomatid lizards, John J. Wiens, 427–444

Tests, congruence, 545–567
Tethya, 359
Tetillidae, 361, 363–364
Tetracarpaea, 35
Tetractinellida, 351–366
Tetractinomorpha, 351–352, 363
Tetragonia, 35
Thayer, Margaret K., see Ballard, J. William O., —
Theonellidae, 361
Thin-plate spline, 168–173, 254–263
Thylogale, 457, 472–474
  stigmatica, 459
Tillier, Simon, see Chombard, Catherine, —
Timea, 359
Tmetothylacus, 590–592, 594–595, 597, 600
  tenellus, 591
Tomistoma, 734, 736
  schlegelii, 735
Topology, cladogram, 617–624
Total evidence, 367–396
Tragulus napu, 92–93, 96, 98–99, 122–124
Transition bias, 589–603
Tree
  composite, 497–508
  phylogenetic, 617–624
Tree searching, 77–89
Trees, gene, 414–426
Tribolium, 385
Trichoptera, 134–137, 529
Trichosurus, 472–474
  vulpecula, 461
Trilliaceae, 287
Trillium, 287, 290, 294–295
Triturus cristatus, 609
Troglodytidae, 591
Trueman, John W. H., Reverse successive weighting, 733–737
Tucker, Priscilla, see Cerchia, Salvatore, and —
Turdidae, 591
Tursiops
  truncatas, 339
  truncatus, 116, 122–124
Type I error, 654–672
Typhlonectes, 681, 685–686, 695
Typhlonectidae, 695

Uma, 401, 429, 627
  exsul, 760–761
  notata, 760–761
  paraphygas, 760–761
  scoparia, 760–761
Urosaurus, 401, 429–430, 433, 627
Urtica, 35
Uta, 401, 429–430, 433, 627

Varanus, 403
Variation, rate, 589–603
Vellozia, 287, 295–296
Velloziaceae, 287, 295, 300
Velloziales, 287, 300
Veratrum, 287, 290, 293–295
Vertebrates: Comparative anatomy, Function, Evolution, Kenneth V. Kardong (rev.), 762–763
Viburnum, 609
Voelker, Gary, and Scott V. Edwards, Can weighting improve bushy trees? Models of cytochrome *b* evolution and the molecular systematics of pipits and wagtails (Aves: Motacillidae), 589–603
Vombatus, 472–474
  ursinus, 461

Wagner, G. P., see Schierwater, B., —
Wallabia, 457, 462–463, 472–474
  bicolor, 459
Warps, partial, 147–158
Weevils, root, 475–494
Weighted ancestral area analysis and a solution of the redundant distribution problem, Bernhard Hausdorf, 445–456
Weighting, 497–508
  character, 589–603
Weigt, Lee, see Cannatella, David, C., —
Wendel, Jonathan F., see Baum, David A., —; Davis, Jerrold I., —
Westerman, Michael, see Burk, Angela, —
Westneat, Mark, review by, 762–763
Whales
  baleen, 336–344
  sperm, 336–344
Whiting, Michael F., Long-branch distraction and the Strepsiptera, 134–138
Wiens, John J.
  The accuracy of methods for coding and sampling higher-level taxa for phylogenetic analysis: a simulation study, 397–413
  Combining data sets with different phylogenetic histories, 568–581
  Does adding characters with missing data increase or decrease phylogenetic accuracy?, 625–640
  Testing phylogenetic methods with tree congruence: phylogenetic analysis of polymorphic morphological characters in phrynosomatid lizards, 427–444
Wiens, John J., and Maria R. Servedio, Phylogenetic analysis and intraspecific variation: performance of parsimony, likelihood, and distance methods, 228–253
Wilkinson, Mark, see Cohen, Bernard L., —
  Split support and split conflict randomization tests in phylogenetic inference, 673–695

Xanthorrhoea, 287, 290, 294
Xanthorrhoeaceae, 287
Xantusiidae, 403
Xenopus, 679, 681
  laevis, 63
Xenosauridae, 403
Xenos vesparum, 533
Xyridaceae, 300

Yang, Ziheng, On the best evolutionary rate for phylogenetic analysis, 125–133
Yang, Ziheng, see Rannala, Bruce, —

Zea, 285

Zelditch, Miriam Leah, see Swiderski, Donald L., —
Zelditch, Miriam Leah, and William L. Fink, Partial warps, phylogeny and ontogeny: a reply to Adams and Rosenberg, 345–348
Zelditch, Miriam Leah, William L. Fink, Donald L. Swiderski, and Barbara L. Lundrigan, On applications of geometric morphometrics to studies of ontogeny and phylogeny: a reply to Rohlf, 159–167
Zingiberanae, 287, 295–297, 300
Ziphiidae, 97, 100–101, 110, 339–343
Ziphius cavirostris, 115, 122–124, 339
Zosterella, 546
Zygorhiza kochii, 91